WAXWEL®










**NEW**

WAXWEL® PLUS

- Quick Melt feature quickly heats up and melts paraffin wax
- Adjustable temperature control in °C and °F
- Designed for 24/7 continuous use
- Locking top helps prevent accidental spills
- Accessible fuse can be easily replaced
- Tank markings show amount of wax in the tank kg (lb) / L (gal)
- Deep immersion tank accomodates large foot
- Light shows temperature condition of wax (green, yellow, red)

**FABRICATION ENTERPRISES® INC**
250 Clearbrook Road, Suite 240
Elmsford, NY 10523 (USA)
tel: 1-914-345-9300 fax: 1-914-345-9800
FabEnt.com INTLsales@FabEnt.com

**EU AR**
OBELIS S.A.
Bd. General Wahis 53
1030 Brussel, Belgium

**UK AR**
OBELIS UK LTD
Sandford Gate
East Point Business Park
Oxford, OX4 6LB
United Kingdom

©2025 FEI, all rights reserved. WaxWel is a trademark of Goldberg.

rev1125

# Paraffin Wax Bath Unit



- Designed for continuous use (24/7) always on, no need to wait for wax to melt
- Large deep immersion tank holds up to 2.7 kg (6 lb) / 3.5 liter (0.93 gal) of wax
- Tank can accommodate men's EU 46.5 / UK 10 / USA shoe 12.5
- Locking top with see through lid allows wax to be seen as its melts and prevents hot wax spills




- Light shows when unit is on
- Ergonomic tank top has rounded edges for patient comfort
- Built in handles for easy movement of unit
- Energy-efficient powder-coated iron tank uniformly transmits heat
- Low wattage heater is energy efficient
- Non-skid feet for stability of unit
- Accessible fuse

| **WaxWel® Paraffin Bath with 2.7 kg (6 lb) Unscented Wax Pellets** | |
|---|---|
| 11-2401 | 220 V with EU Plug |
| 11-1600 | 110 V with USA Green Dot Plug |

| **WaxWel® Paraffin Wax Refill Pellets 16.3 kg (36 lb)** *Packaged as 36 bags: 0.4 kg (1 lb)* | | | |
|---|---|---|---|
| ***For non-USA sale*** | | ***For USA sale*** | |
| 11-2410-36 | unscented | 11-1750-36 | unscented |
| 11-2411-36 | wintergreen | 11-1752-36 | wintergreen |

***Unit Includes***

- 6 lbs/2.73kg unscented paraffin pellets
- Removable power cord
  - EU: 220 volt CEE7/7
  - USA: 110 volt green dot 3-pole Type B
- Locking top with see-through panels
- Safety grill, 2 mitts, 2 booties
- 65 disposable hand/foot plastic liners
- Use / care guide

# Adjustable Paraffin Wax Bath Unit

- Designed for continuous use (24/7) always on, no need to wait for wax to melt
- **Quick Melt** feature melts unmelted wax within 90 minutes (no need to wait hours to use)
- **Adjustable Temperature** can be set and read °C and °F (up to 65.5 C / 150 F)
- Control panel displays wax temperature and allows for easy adjustments to toggle between Quick Melt, Temperature Control, and °C / ° F settings
- Light shows temperature condition of wax (green, yellow, red)
- Deep immersion tank holds up to 4 kg (9 lb) / 5.3 liter (1.4 gal) of wax
- Tank can accommodate men's EU 49 / UK 14.5 / USA shoe 15
- Locking top with see through lid allows wax to be seen as it melts and prevents hot wax spills

- Ergonomic tank top has rounded edges for patient comfort
- Built in handles for easy movement of unit
- Energy-efficient powder-coated iron tank uniformly transmits heat
- Low wattage heater is energy efficient
- Non-skid feet for stability of unit
- Accessible fuse

| WaxWel® PLUS Adjustable Paraffin Bath with 4 kg (9 lb) Unscented Wax Pellets | |
|---|---|
| 11-2405 | 220 V with EU Plug |
| 11-2406 | 110 V with USA Green Dot Plug |

| WaxWel® Paraffin Wax Refill Pellets 16.3 kg (36 lb) *Packaged as 36 bags: 0.4 kg (1 lb)* | | | |
|---|---|---|---|
| *For non-USA sale* | | *For USA sale* | |
| 11-2410-36 | unscented | 11-1750-36 | unscented |
| 11-2411-36 | wintergreen | 11-1752-36 | wintergreen |




LED Control Panel with Safety Light and Temperature Readout


red light shows when unit is on


green light shows when wax is at set temperature


yellow light shows Quick Melt mode is activated



Locking Top with See Through Panels



Accessible Fuse, Removable Plug, On/Off Toggle

***Unit Includes***

- 4 kg (9 lb) unscented paraffin pellets
- Removable power cord
  - EU: 220 volt CEE7/7
  - USA: 110 volt green dot 3-pole Type B
- Locking top with see-through panels
- Safety grill, 2 mitts, 2 booties
- 65 disposable hand/ foot plastic liners
- Use / care guide



# Paraffin Wax Treatment Baths

- Institutional / professional quality
- Meets the highest quality standards
- Moist heat soothes, moisturizes and conditions skin
- Keeps skin looking and feeling good
- Use for hands, feet and elbows




## Technical Specifications

| | WaxWel® PLUS Adjustable Paraffin Bath | WaxWel® Standard Paraffin Bath |
|---|---|---|
| **Product Dimensions and Weight** | | |
| **Inside Top:** | 36.5 x 19.7 x 19.1 cm (14.4 x 7.8 x 7.5 in.) | 33.0 x 17.8 x 14.3 cm (13.0 x 7.0 x 5.6 in.) |
| **Inside Bottom:** | 31.8 x 15.2 x 19.1 cm (12.5 x 6.0 x 7.5 in.) | 27.9 x 13.3 x 14.3 cm (11.0 x 5.3 x 5.6 in.) |
| **Outside:** | 45.7 x 26.0 x 25.4 cm (18.0 x 10.3 x 10.0 in.) | 40.0 x 24.1 x 20.6 cm (15.8 x 9.5 x 8.1 in.) |
| **Weight without Wax:** | 3.8 kg (8.4 lb) | 2.64 kg (5.8 lb) |
| **Weight with Wax:** | unit with 4.1 kg (9.0 lb) of wax: 7.9 kg (17.4 lb) | unit with 2.7 kg (6.0 lb) of wax: 5.4 kg (11.8 lb) |
| **Time to Melt Paraffin Wax** | | |
| **Melt Time** | 4.1 kg (9 lb): 120 minutes in quick melt mode<br>2.7 kg (6 lb): 90 minutes in quick melt mode<br>0.5 kg (1 lb): 15 minutes added in operating mode | 2.7 kg (6 lb): 180 minute<br>0.5 kg (1 lb): 15 minutes |
| **Product Information for both WaxWel® and WaxWel® PLUS** | | |
| Not for medical use | | |
| EU: 220/240V 50/60Hz 130 watt Europe: CE LVD, RoHS, REACH, EMS | | |
| USA / Canada: 110/120V 50/60Hz 280 watt USA: UL Approved QMSR Complaint Canada: CETL Certified | | |
| On / Off toggle switch | | |
| Accessible fuse (15amp T3 L250V) | | |
| Overheat circuit trips at 84°C (183°F) | | |
| 2 year warranty | | |

**FABRICATION ENTERPRISES® INC**
250 Clearbrook Road, Suite 240
Elmsford, NY 10523 (USA)
tel: 1-914-345-9300 fax: 1-914-345-9800
FabEnt.com INTLsales@FabEnt.com

**EU AR**
OBELIS S.A.
Bd. General Wahis 53
1030 Brussel, Belgium

**UK AR**
OBELIS UK LTD
Sandford Gate
East Point Business Park
Oxford, OX4 6LB
United Kingdom

©2025 FEI, all rights reserved. WaxWel is a trademark of Goldberg.

rev1125